























functional thinking

our mission is to constantly
bring inspiration and innovation
to all garment accessories
from design to distribution



functional thinking

Standard Jeans Buttons





































<p>N-1 With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/24/25/27/30/40 Nail: Twin Pronged</p>	<p>N-2 Concave Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Swivel Tack</p>	<p>N-4 Concave With Nail</p>  <p>Cap Size (mm): 12.5/14/15/17/18 19/20/22/23/25/27/30/40 Nail: Screw or Arrow Tack</p>	<p>N-5 Volcano Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Single Tack</p>	<p>N-12 With Nail</p>  <p>Cap Size (mm): 14/17 Nail: Single Tack</p>
<p>N-1 Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/24/25/27/30/40 Nail: Twin Pronged</p>	<p>N-2 Volcano Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Swivel Tack</p>	<p>N-4 Dome With Nail</p>  <p>Cap Size (mm): 12.5/14/15/17/18 19/20/22/23/25/27/30/40 Nail: Screw or Arrow Tack</p>	<p>N-9 With Nail</p>  <p>Cap Size (mm): 14/17/20/22 Nail: Twin Pronged</p>	<p>N-12B With Nail</p>  <p>Cap Size (mm): 14/17 Nail: Single Tack</p>
<p>N-1 Concave Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/24/25/27/30/40 Nail: Twin Pronged</p>	<p>N-3 With Nail</p>  <p>Cap Size (mm): 11.5 12.5/14/15/17/20 Nail: Screw or Arrow Tack</p>	<p>N-5 with Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Single Tack</p>	<p>N10 Concave With Nail</p>  <p>Cap Size (mm): 15/17/20/22/25.5 Nail: Twin Pronged</p>	
<p>N-2 With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Swivel Tack</p>	<p>N-3 Concave With Nail</p>  <p>Cap Size (mm): 11.5 12.5/14/15/17/20 Nail: Screw or Arrow Tack</p>	<p>N-5 Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Single Tack</p>	<p>N-10H With Nail</p>  <p>Cap Size (mm): 18 Nail: Twin Pronged</p>	
<p>N-2 Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Swivel Tack</p>	<p>N-4 With Nail</p>  <p>Cap Size (mm): 12.5/14/15/17/18 19/20/22/23/25/27/30/40 Nail: Screw or Arrow Tack</p>	<p>N-5 Concave Polo With Nail</p>  <p>Cap Size (mm): 14/15/17/18 19/20/22/23/25/27/30/40 Nail: Single Tack</p>	<p>N-11 With Nail</p>  <p>Cap Size (mm): 15/17 Nail: Swivel Tack</p>	

All sizes shown are diameter



functional thinking

Standard Rivets

<p>RT-1</p>  <p>Cap Size (mm): 9.3</p>	<p>RT-1R</p>  <p>Cap Size (mm): 6.4</p>	<p>RT-3</p>  <p>Cap Size (mm): 9.3</p>	<p>RT-5D</p>  <p>Cap Size (mm): 10</p>	<p>RT-6P</p>  <p>Cap Size (mm): 5/7/9/12</p>	<p>RT-10</p>  <p>Cap Size (mm): 13/15</p>
<p>RT-1A</p>  <p>Cap Size (mm): 11/11.5</p>	<p>RT-1S</p>  <p>Cap Size (mm): 6</p>	<p>RT-4</p>  <p>Cap Size (mm): 8</p>	<p>RT-5E</p>  <p>Cap Size (mm): 11.5</p>	<p>RT-7</p>  <p>Cap Size (mm): 9.3</p>	<p>Aluminium Nail</p>  <p>Size (mm): Ø9 x Height 8.5</p>
<p>RT-1B</p>  <p>Cap Size (mm): 14/17/20</p>	<p>RT-1V</p>  <p>Cap Size (mm): 9.6</p>	<p>RT-4A With Special Nail</p>  <p>Cap Size (mm): 6 (Brass Nail Ø7 x Height 6.5)</p>	<p>RT-5V</p>  <p>Cap Size (mm): 9.5</p>	<p>RT-8</p>  <p>Cap Size (mm): 9.3</p>	<p>Brass Common Nail</p>  <p>Size (mm): Ø9.3 x Height 8</p>
<p>RT-1D</p>  <p>Cap Size (mm): 10</p>	<p>RT-2C</p>  <p>Cap Size (mm): 5/8.4</p>	<p>RT-5</p>  <p>Cap Size (mm): 6.4/9.3</p>	<p>RT-6</p>  <p>Cap Size (mm): 9/9.3/10.8/13/14/17</p>	<p>RT-8B With Special Nail</p>  <p>Cap Size (mm): 7/9.6 (Solid Copper Nail Ø9 x Height 8.5)</p>	<p>Brass Common Nail</p>  <p>Size (mm): Ø9.3 x Height 6.5</p>
<p>RT-1E</p>  <p>Cap Size (mm): 11.5</p>	<p>RT-2D</p>  <p>Cap Size (mm): 10</p>	<p>RT-5A</p>  <p>Cap Size (mm): 9.3</p>	<p>RT-6D</p>  <p>Cap Size (mm): 10</p>	<p>RT-9 With Special Nail</p>  <p>Cap Size (mm): 9.5 (Twin Prong Nail Ø9.3 x Height 8.85)</p>	<p>Brass Common Nail</p>  <p>Size (mm): Ø9.3 x Height 5 and Ø5 x Height 5</p>
<p>RT-1P With Special Nail</p>  <p>Cap Size (mm): 7 (Brass Nail Ø7 x Height 6)</p>	<p>RT-2V</p>  <p>Cap Size (mm): 8.4</p>	<p>RT-5B</p>  <p>Cap Size (mm): 11.5</p>	<p>RT-6E</p>  <p>Cap Size (mm): 11.5</p>	<p>RT-9V With Special Nail</p>  <p>Cap Size (mm): 12.4 (Twin Prong Nail Ø9.3 x Height 8.85)</p>	<p>Twin Pronged Nail</p>  <p>Size (mm): Ø9.3 x Height 9</p>

All sizes shown are diameter. Various nail specifications are available for different rivet cap constructions and fabric thickness.



functional thinking

Standard Snap Fasteners

280 Cap (A)	280 Socket (B)	280 Stud (C)	280 Post (D)
Cap Size (mm): 10/11.5/12/12.5/13/14 15/17/18/19/20/21/22 23/25/27/30/40	Socket Size (mm): 12	Stud Size (mm): 10	Post Size (mm): 10.5

380 Cap (A)	380 Socket (B)	380 Stud (C)	380 Post (D)
Cap Size (mm): 10/11.5/12/12.5/13/14 15/17/18/19/20/21/22 23/25/27/30/40	Socket Size (mm): 13.6	Stud Size (mm): 11	Post Size (mm): 11

380SC Concealed (A)	380 Socket (B)	380 Stud (C)	380 Post (D)
Cap Size (mm): 13.5	Socket Size (mm): 13.6	Stud Size (mm): 11	Post Size (mm): 11

405 Cap (A)	405 Socket (B)	405 Stud (C)	405 Post (D)
Cap Size (mm): 14/15/17/18/19/20/21 22/23/25/27/30/40	Socket Size (mm): 13.6	Stud Size (mm): 14	Post Size (mm): 13

406 Cap (A)	406 Socket (B)	406 Stud (C)	406 Post (D)
Cap Size (mm): 10/11.5/12/12.5/13/14 15/17/18/19/20/21/22 23/25/27/30/40	Socket Size (mm): 10.5	Stud Size (mm): 12.3	Post Size (mm): 10.7

500 Cap (A)	500 Socket (B)	500 Stud (C)	500 Post (D)
Cap Size (mm): 14/15/17/18/19/20/21 22/23/25/27/30/40	Socket Size (mm): 15	Stud Size (mm): 14	Post Size (mm): 12.3

501 Cap (A)	501 Socket (B)	501 Stud (C)	501 Post (D)
Cap Size (mm): 10/12.5	Socket Size (mm): 11	Stud Size (mm): 9	Post Size (mm): 8

502 Cap (A)	502 Socket (B)	502 Stud (C)	502 Post (D)
Cap Size (mm): 10/12.5	Socket Size (mm): 10	Stud Size (mm): 9	Post Size (mm): 9

901 Cap (A)	901 Socket (B)	901 Stud (C)	901 Post (D)	901 Meson (E)
Cap Size (mm): 15/16/17/18/20	Socket Size (mm): 10.7	Stud Size (mm): 15.1	Post Size (mm): 14.5	Post Size (mm): 15.6

901B Cap (A)	901B Socket (B)	901B Stud (C)	901B Post (D)
Cap Size (mm): 15/16/17/18/20	Socket Size (mm): 15	Stud Size (mm): 15.1	Post Size (mm): 14.5

906 Cap (A)	906 Socket (B)	906 Stud (C)	906 Post (D)
Cap Size (mm): 15	Socket Size (mm): 8.3	Stud Size (mm): 11	Post Size (mm): 11

All sizes shown are diameter



functional thinking

Standard Pronged Snap Fasteners

111 Cap (A)	111 Socket (B)	111 Stud (C)	111 Prong (D)
Cap Size (mm): 7.2	Socket Size (mm): 7.6	Stud Size (mm): 7.6	Prong Size (mm): 7.2

111C Cap (A)	111C Socket (B)	111C Stud (C)	111C Prong (D)
Cap Size (mm): 8	Socket Size (mm): 7.6	Stud Size (mm): 7.6	Prong Size (mm): 7.2

111D Cap (A)	111D Socket (B)	111D Stud (C)	111D Prong (D)
Cap Size (mm): 7.8	Socket Size (mm): 8.9	Stud Size (mm): 8.9	Prong Size (mm): 7.8

111DC Cap (A)	111DC Socket (B)	111DC Stud (C)	111DC Prong (D)
Cap Size (mm): 9	Socket Size (mm): 8.9	Stud Size (mm): 8.9	Prong Size (mm): 7.8

111DP Cap (A)	111DP Socket (B)	111DP Stud (C)	111DP Prong (D)
Cap Size (mm): 8.5	Socket Size (mm): 8.9	Stud Size (mm): 8.9	Prong Size (mm): 7.8

111P Cap (A)	111P Socket (B)	111P Stud (C)	111P Prong (D)
Cap Size (mm): 8	Socket Size (mm): 7.6	Stud Size (mm): 7.6	Prong Size (mm): 7.2

222 Cap (A)	222 Socket (B)	222 Stud (C)	222 Prong (D)
Cap Size (mm): 9/9.6	Socket Size (mm): 9.5	Stud Size (mm): 9.5	Prong Size (mm): 9

222C9 Cap (A)	222C9 Socket (B)	222C9 Stud (C)	222C9 Prong (D)
Cap Size (mm): 9	Socket Size (mm): 9.5	Stud Size (mm): 9.5	Prong Size (mm): 9

222C Cap (A)	222C Socket (B)	222C Stud (C)	222C Prong (D)
Cap Size (mm): 10	Socket Size (mm): 9.5	Stud Size (mm): 9.5	Prong Size (mm): 9

222P Cap (A)	222P Socket (B)	222P Stud (C)	222P Prong (D)
Cap Size (mm): 9.5	Socket Size (mm): 9.5	Stud Size (mm): 9.5	Prong Size (mm): 9

333 Cap (A)	333 Socket (B)	333 Stud (C)	333 Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2
Cap Size (mm): 10.1			

333C Cap (A)	333C Socket (B)	333C Stud (C)	333C Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2
Cap Size (mm): 11.5/12/12.5/14/15/17			

333P Cap (A)	333P Socket (B)	333P Stud (C)	333P Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2
Cap Size (mm): 10.5/11.5/15			

All sizes shown are diameter



functional thinking

Standard Pronged Snap Fasteners

333P Square Cap (A)	333C Socket (B)	333C Stud (C)	333C Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
Cap Sizes (mm): 11 x 11	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2

333P Hexagon Cap (A)	333C Socket (B)	333C Stud (C)	333C Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
Cap Size (mm): 14 x 12.5	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2

333P Octagon Cap (A)	333C Socket (B)	333C Stud (C)	333C Prong/Post (D)
	 Version A Socket Size (mm): 10.9	 Version A Stud Size (mm): 10.8	 Version A Prong Size (mm): 10.1
Cap Size (mm): 11.8 x 11.8	 Version B Socket Size (mm): 10.9	 Version B Stud Size (mm): 10.4	 Version B Post Size (mm): 10.2

333S Cap (A)	333S Socket (B)	333S Stud (C)	333S Prong (D)
Cap Size (mm): 9.8	Socket Size (mm): 9.7	Stud Size (mm): 9.7	Prong Size (mm): 9.8

333SC Cap (A)	333SC Socket (B)	333SC Stud (C)	333SC Prong (D)
Cap Size (mm): 10.7	Socket Size (mm): 9.7	Stud Size (mm): 9.7	Prong Size (mm): 9.8

444 Cap (A)	444 Socket (B)	444 Stud (C)	444 Prong (D)
Cap Size (mm): 15	Socket Size (mm): 15	Stud Size (mm): 15	Prong Size (mm): 15

444C Cap (A)	444 Socket (B)	444 Stud (C)	444 Prong (D)
Cap Size (mm): 16.8	Socket Size (mm): 15	Stud Size (mm): 15	Prong Size (mm): 15

555 Cap (A)	555 Socket (B)	555 Stud (C)	555 Prong (D)
Cap Size (mm): 21	Socket Size (mm): 20.5	Stud Size (mm): 20.5	Prong Size (mm): 21

555C Cap (A)	555C Socket (B)	555C Stud (C)	555C Prong (D)
Cap Size (mm): 22/23	Socket Size (mm): 20.5	Stud Size (mm): 20.5	Prong Size (mm): 21

777 Cap (A)	777 Socket (B)	777 Stud (C)	777 Prong (D)
Cap Size (mm): 29	Socket Size (mm): 30	Stud Size (mm): 30	Prong Size (mm): 29

902 Cap (A)	902 Socket (B)	902 Stud (C)	902 Post (D)
Cap Size (mm): 17/21	Socket Size (mm): 9.7	Stud Size (mm): 12.2	Post Size (mm): 9.3














903 Cap (A)	903 Socket (B)	903 Stud (C)	903 Post (D)
Cap Size (mm): 11.5	Socket Size (mm): 12.1	Stud Size (mm): 12.2	Post Size (mm): 9.3

All sizes shown are diameter



functional thinking

Standard Eyelets





functional thinking

Standard Eyelets

Eyelet #62

**Outer Diameter (mm): 62 | Inner Diameter (mm): 40
Height Before Attaching (mm): 11.5**

Double Triangle

**Outer Diameter (mm): 28 x 11 | Inner Diameter (mm): 5.2 x 5.4
Height Before Attaching (mm): 5**

Key Hole Eyelet

**Outer Diameter (mm): 18 x 10 | Inner Diameter (mm): 11.8 x 5
Height Before Attaching (mm): 3**

Tear Drop Eyelet

**Outer Diameter (mm): 18 x 10 | Inner Diameter (mm): 11.8 x 5
Height Before Attaching (mm): 3**

Eyelet #16 Oval

**Outer Diameter (mm): 15.6 x 8.2 | Inner Diameter (mm): 7.9 x 5.3
Height Before Attaching (mm): 5**

Triangle

**Outer Diameter (mm): 21 x 12.5 | Inner Diameter (mm): 9.5 x 4.5
Height Before Attaching (mm): 4.8**

Eyelet #25 Oval

**Outer Diameter (mm): 27 x 13.1 | Inner Diameter (mm): 20.5 x 6.5
Height Before Attaching (mm): 4.8**

Triangle


**Outer Diameter (mm): 17 x 14 | Inner Diameter (mm): 6.8
Height Before Attaching (mm): 5.2**

Eyelet #35 Oval

**Outer Diameter (mm): 35 x 27 | Inner Diameter (mm): 20.5 x 13
Height Before Attaching (mm): 8.6**

Triangle

**Outer Diameter (mm): 12.5 x 11 | Inner Diameter (mm): 6 x 7
Height Before Attaching (mm): 5**





functional thinking

Standard Hook & Bar



www.functionalthinking.com